

# Polo Moderno



## PMODERNO-20-WW-285

VOLTRON® professional LED lighting for gardens/parks or car parks/driveways. Unique concept with high light output (> 140Lm/W) and special lenses that ensure a wide light distribution. The luminaire is built according to the circular principle: power supply and light source can be replaced quickly and easily. The waterproofness is achieved with a unique ALU inner housing instead of aging rubbers because of moisture and UV light. The luminaire is constructed from anodized ALU 80x60x4mm with base plate. Type : PMODERNO-20-WW-85 : 20W - 2700K - CREE XBD Power LEDs (10x) - 2845Lm - Power supply MeanWell included - IP65 - Height = 2850mm - Color = black (AkzoNobel). Warranty = 5 years.



**CCT**  
2700K

**WATT**  
20W

**IP**  
65

**Lumen**  
2845Lm

**CRI Ra**  
>83

**UGR**  
<22

**Lx T<sub>a</sub> 25°C**  
L80 >40.000

**MacAdam**  
3

**32CM**

**285CM**

**xx°**  
30°90°

**V**

**GARANTIE**  
5

## Technical data


Productnumber	Barcode	CCT	IP value	Led chip
PMODER-NO-20-WW-285	LH-1252	2700K	65	CREE XBD
Voltage	Wattage	Height	Width	Thickness
220v	20W	285CM	32CM	8CM
Finish color	CRI	Lxx @Ta=25°C	UGR	MacAdam
Black	>83	L80 >40.000	<22	3
Spread angle	Lumen	Driver included	Constant current	Packed per
30°90°	2845Lm	V	V	1

## Specification text\*

VOLTRON® professional LED lighting for gardens/parks or car parks/driveways. Unique concept with high light output (> 140Lm/W) and special lenses that ensure a wide light distribution. The luminaire is built according to the circular principle: power supply and light source can be replaced quickly and easily. The waterproofness is achieved with a unique ALU inner housing instead of aging rubbers because of moisture and UV light. The luminaire is constructed from anodized ALU 80x60x4mm with base plate. Type : PMODERNO-20-WW-85 : 20W - 2700K - CREE XBD Power LEDs (10x) - 2845Lm - Power supply MeanWell included - IP65 - Height = 2850mm - Color = black (AkzoNobel). Warranty = 5 years.

\* Available on the website

## Photometric diagram



## Areas of application

Garden lighting for medium and large gardens / Garden path lighting / Office driveways / Unique concept of 20W with special lenses ensures great light distribution

## Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: [https://www.voltron-lighting.com/product/EN/63/1252/Polo\\_Moderno--PMODERNO-20-WW-285](https://www.voltron-lighting.com/product/EN/63/1252/Polo_Moderno--PMODERNO-20-WW-285) or can be requested through your contact person.

## Direct link website



## Product barcode



The Voltron® name and logo as well as product names are part of the Voltron® Lighting Group and are protected by national and international laws.

The usage rights, reproduction rights as well as the intellectual rights are the exclusive property of the Voltron® Lighting Group.

Voltron® pays a lot of attention to the correctness and completeness of the information. However, it cannot be held responsible for any inaccuracy and / or omission. All images and texts are protected under copyright law and may not be used or multiplied without express permission.